INDEX TO VOLUME 65

New names and the final members of new combinations are in **bold face type.**

Abies 534, 537, 552, 553; concolor 556; venusta 546
Abortiporus distorus 655; **subabortivus** 655, 661
Absidia 461
Acacia longifolia 556; suaveolens 556
Acaena o igomera 670
Acer 526, 561; Bendirei 561, 562; Bolanderi 558, 562; Buergerianum 558, 562; glabrum 561; grandidentata 562; japonicium 584; macrophyllum 561; Negundo 561, 562; negundoides 562; Osmonti 561; rubrum 169, 171, 172; saccharum 562; tripartum 562
Aceretum rubri 494
Achlya apiculata 623; bisexualis 505; flagellata 593
Acicalyptus 204
Acmena 425
Acocanthera spectabilis 136
Aconitum noveboracense 257
Acoridium 581
Acorus Calamus 663
Acrostichum 307; apodum 331; aureo-nitens 328; aureum 305–307, 373; crinitum 332; Fendleri 375; Gillianum 328; muscosum 318; viscosum 318; viscosum glabriusculum 318
Additional Miocene plants from Grand Coulee, Washington 89
Adenium coetenium 137, 145, 160
Adiantum 307; aethiopicum 307; Alarconianum 304, 307; concinnum 305, 307, 308; cuneatum 307; diaphanum 307, 308; Henslovianum 306–308; incisum 307; Kaulfussii 308; macrophyllum 305, 306, 308; parvulum 307, 308; patens 304, 308; petiolatum 305, 308; prionophyllum 308; tetraphyllum 304, 308; villosum 305, 306, 308
Aegiphila 590
Agaricus 497; abruptibulbus 172
Agave 76
Agropyron 262; Smithii 497
Aidia cochinchinensis 614
Ailanthus altissima 126, 528
Albidi 233–235
Aleurodiscus acerinus 170
Alga: Oedocladium Lewisii, A new green 23
Algae in a Minnesota pond, The taxonomy of a community of blue-green 377
Algae, Notes on Maryland 293
Allamanda cathartica 136, 145, 156, 158
Allium cepa 342, 439, 443, 615; stellatum 72
Allomyces 495
Allotropa 335
Alnus 521, 526
Aloe aethiopica 522; arborescens 522; ciliaris 522; Cooperi 522; haemanthifolia 522; plicatilis 522; rubrolutea 522; speciosa 522; variegata 522; viscosa 522
Alsophila 314
Alternaria citri 207
Amarantus 208
Amaryllis longifolia 182
Amblyarrhena 580
Ambrosia 262; elatior 262
Amelanchier florida tomentosa 208
American Botanical Literature, Index to 70, 123, 198, 256, 334, 421, 493, 581
American Celastraceae 1. New species of Microtropis, Wimmeria and Zinowiewia, Studies in the 463
American melastomes, including nine new species, Notes on 571
American species of Dryopteris, subgenus Meniscium, The 347
Amorphophallus titanum 125, 127, 209
Ampelocera 209; glabra 341
Amphianthus 340
Amphichloris 297
Amsonia ciliata 136, 144, 160; rigida 432
Anabaena 393; constricta 393; flos-aquae 288, 290; planctonica 393; spiroides 393
Anagallis arvensis 256
Ananthocorus 309; angustifolius 304, 309
Anaphilis margaritaceae 664
Ancylistes 257
Anisostemones 571
Ankyropteris grayi 605; henricksi 605
Anogramma 308; chaerophylla 308; leptophylla 306, 308
Aphanizomenon flos-aquae 288
Aphanomyrtus 264
Apocynaceous flowers, The vascular anatomy and comparative morphology of 135
Apocynum 135, 138, 149, 150, 152, 160, 162; androsaemifolium 137, 145, 149, 161; cannabinum 137, 142, 145, 156, 160, 161

Arabis lyrata 256
Arachnoxylon 601, 604, 605, 606; **kopfi** 602, 604–606
Arachnula 443
Aragoa 500
Aralia 201
Araucaria 553; angustifolia 516, 520
Arcella vulgaris 443
Arceuthobium 128
Arctostaphylos 265; Uva-ursi 260
Argyrodendron 200
Argyroderma 262
Ariocarpus 263
Aristida stricta 491, 492
Artemisia 404, 408–410
Arthrospira 387–390, 395; Jenneri 388; platensis 290
Arthrostemma 576, 577; alatum 576, 577; apodocarpum 576; campanulare 576, 577; fragile 576; hirtellum 577; macrodesmum 577; parvifolium 576, 577
Asclepias erosa 582
Asimina 412 520, 526
Asparagus officinalis 526
Aspergillus alliaceus 593; niger 276, 460, 502, 673
Aspidium articulatum 332; biserratum 332; coriaceum 327; martinicense 328; semicordatum 313
Aspidosperma quebrachoblanco 203
Asplenium 330, 348; anisophyllum latifolium 311; anisophyllum sanguinolentum 311; auritum 305, 306, 309; auritum macilentum 309; carolinum 304–306, 310; cicutarium 310; cristatum 305, 310, 330; dubium 330; Fernandezianum 311; formosum 304–306, 310; furcatum 311; laetum 304, 310; lunulatum 309; Macraei 310, 330; marinum auriculatum 309; myriophyllum 305, 310; nigrescens 311; nubilum 311; poloense 304, 310; praemorsum 306, 311; pulchellum 311; pulcherrima 311; pumilum 305, 311; rhizophyllum 310, 330; rigidum 309; rutaceum 304, 311; sanguinolentum 311; sarcodes 311; Serra 305, 312; serratum 304, 312; sorbifolium 347, 358; subulatum 303, 310; sulcatum 309
Aster 300, 639
Asteroclaena laxa 605
Asteropteris 602, 605; kopfi 602; novaboracensis 604–606
Asterostroma cervicolor 170
Asteroxylon 604, 606; mackiei 606
Astragalus 75, 424; Bergii 128; distortus 256
Aurantiporus croceus 649
Aurator 233–235
Aurator, Studies in Penstemon VI. The section 233
Auricularia Auricula-Judae 170; rosea 170
Austroclepsis osborni 605
Aveledoa 72
Avena 11, 123, 126, 335, 422, 432, 664, 669, 671; fatua 11, 21; sativa 443, 555
AVERY, JR., GEORGE S. and CARL D. LARUE, The development of the embryo of Zizania aquatica in the seed and in artificial culture 11
Azolla 329, 526; caroliniana 329, 437, 518; filiculoides 329

Baccharis halimifolia 489
Bacillus mycoides 592
Bacterium angulatum 262; gallinarum 669; tabacum 262; tumefaciens 202
Bambusa ventricosa 589
Bangia atropurpurea 291
Beaumontia grandiflora 137, 146
Begonia incana 265
Berberis amplectans 594; Chillanensis Hirsutipes 670
BERRY, EDWARD W., Additional Miocene plants from Grand Coulee, Washington 89
Betula 62, 64, 520; Bendirei 558, 562; fontinalis 560; lacustris 560; occidentalis 558, 560
Bidens 208, 526
Blastospora 625, 626; Butleri 625, 626, 628; smilacis 626
Blechnum blechnoides 312; occidentale 305, 312; occidentale caudatum 312; unilaterale 305, 306, 312
Blue-green algae in a Minnesota pond, The taxonomy of a community of 377
Bolbitis 375; **macrophylla** 374–375; subcrenata 375
BOLD, HAROLD C., Notes on Maryland algae 293
Boletus chrysenteron 168, 174
Bolinia tubulina 169
Borzicactus aurivillus 430
Botanical Literature, Index to American 70, 123, 198, 256, 334, 421, 493, 581, 675
Botrydium 23
Botrytis 497
Bouteloua curtipendula 493
BRANDWEIN, PAUL F., The emergence of smut-inoculated oat seedlings through sand and loam soil 477

Brasenia 281, 282; peltata 277, 283
Brasenia, The winter buds of 277
Brassica 425
Brodiaea 129
Browallia 665
Bryoxiphium norvegicum 502
BUELL, HELEN FOOT, The taxonomy of a community of blue-green algae in a Minnesota pond 377
Bulliardella 588
Bumilleria 450
Buxus sempervirens 665

Cactaceae of southern Utah, The 397
Cacti from Guatemala, Mexico and Texas, New species of 565
Caesalpinia 125
Calamus 512
Calidion 627
Callicarpa 590
Callirhoë 589
Calocera cornea 170
Calothrix Contarenii 287; parietina 288, 289; pilosa 287
Calycanthus 663
Calyptrogyne-Calyptronoma 581
CAMP, W. H., Studies in Ericales III. The genus Leiophyllum 99
CAMPBELL, W. A., The cultural characteristics of the species of Fomes 31
Camplyoneuron latum 332; Phyllitidis 325
Canavalia ensiformis 423
Canna 1, 4, 6, 7
Cannabis sativa 508, 510
Cantharellus cibarius 172
Capsella 511
Carex 73, 133, 208, 262, 502
Carissa Carandas 136, 144; grandiflora 136, 144
Carpinus 594
Carteria 297; crucifera 296, 300, 301; **ellipsoidalis** 296, 300, 301; globosa 297
Carya Buckleyi arkansana 555
Castalia tetragona 341
Castanea dentata 124, 524; orientalis 89
Castanopsis consimilis 89, 91, 92
Castilla 665
Castilleja 500
Castilloa 665
Catalpa speciosa 526
Cathestecum 593
Catinula turgida 338
Celtis 520
Cenangella Ravenelli 169
Centaurea macrocephala 256
Centipeda minima 667
Centradenia 571; Bernoulli 571; chiapensis 571; floribunda 571; grandifolia 571; **Maxoniana** 571; salicifolia 571
Centradeniopsis 571
Centranthera 264
Centropyxis 443
Centrosema 583
Cephalanthus occidentalis 175, 179
Ceracea corticioides 170
Ceratophyllum 283
Ceratostomella Ulmi 134
Cerbera 159, 160; Tanghin 136, 145, 155, 156, 159, 160
Cercis 507, 520, 526
Cercospora 73, 76, 199, 258, 592, 663, 670; beticola 667; musae 73; oryzae 593; rhoina 169
Cercosporella 73; herpotrichoides 73
Ceropteris monosticha 322; tartarea 324
Cervantesia 208
Cetraria islandica 343
Chaconia 625–627; alutacea 625, 627; **Butleri** 628; texensis 626
Chaconia, Studies in the Uredinales, the genus 625
Chaetolepis 572; alpina 572; brevistrigillosa 572; cubensis 572; Grisebachii 572; saturaeoides 572
Chaetomium 344, 429
Chamaesyce 521, 526; preslii 522
Chaptalia Hintoni 125; nutans 125
Chara 440, 443; coronata 439, 443, 615
Cheilanthes 312; affinis 322; Borsigiana 322; candida 322; cretacea 322; heterotricha 312; lutea 320; microphylla 305, 312; monosticha 322; myriophylla 312
Chelone abida 237; cristata 250; erianthera 250
Chimaphila 666
Chlamydobotrys 299; gracilis 299; stellata 293, 299–301
Chlamydomonas breviciliata 298; metastigma 297, 300, 301; Reinhardi 301; **schizochlora** 297, 300, 301
Chlorella vulgaris 597
Chloridium musae 73
Chondropodium 78
Chroococcus 387; turgidus 387, 394, 450
CHRYSLER, M. A., The winter buds of Brasenia 277
Chrysocelis 627
Chrysodium vulgare 373

Chytridium 623; aggregatum 617, 620; gibbosum 617; Schenkii 617
Cimicifuga 343
Cirsium 668; Wilhelmii 668
Citrus 199, 425; sinensis 124
Cladonia 435; Boryi 435
Cladophora 285, 440; glomerata 439, 440, 443, 616
Claviceps Paspali 589
Cleistocalyx 204
Clematis Addisonii 78
Clistoyucca 404
Clitocybe decora 172
Clonothrix fusca 339
CLOVER, ELZADA U., New species of cacti from Guatemala, Mexico and Texas 565; The cactaceae of southern Utah 397
Coccopedia 383
Cochemiea 430; setispina 430
Cocos Islands, Pteridophyta of the Galapagos and 303
Coelomoron 379, 394; **regularis** 378, 379, 394
Coelosphaerium 379; Nägelianum 380
Coleosporium campanulae 589; Solidaginis 170, 589; Vernoniae 170
Coleus 641; Blumei Renhaltianus 663
Colletia 208
Colocasia esculenta 498
Columnea 428
Comatricha 201
Combretum fruticosum 225; Loeflingii 228
Commelina communis 667
Conferva canalicularis 292; ebena 291; ericetorum 291
Conidiobolus 202
Coniophora olivascens 170
Convolvulus 641
Cooperia 79, 80, 84–87, 424; albicans 80, 83, 84; chlorosolen 80–82; Drummondiana 80; Drummondiana chlorosolen 81; Drummondii 79–83, 85–87; Drummondii chlorosolen 80–82; mexicana 85; miradorensis 86; pedunculata 79, 80, 84, 85; Traubii 80, 82
Cooperia, The genus 79
Copernicia 581
Cordyceps 264
Cordyline terminalis 526
Corema Conradii 437
Coreopsis saxicola 256
Coriolopsis **Tisdaleana** 656, 661.
Coriolus abietinus 658; depauperatus 658; limitatus 658; membranaceus **taxodii** 657; **subabietinus** 658, 661; **sublimitatus** 658, 661; **tenuispinifer** 658, 661
Cornus 97, 132; acuminata 97; **Becki** 89, 95, 97; canadensis 97; florida 97, 500; Nuttallii 97
Corticium chrysocreas 170; coronilla 257; galactinum 170; incrustans 204; lactescens 170; lividum 170; portentosum 170; salmonicolor 206; stramineum 170
Corylus 594
Coryneum microstictum 262
Coryphantha 406, 410; aggregata 410; arizonica 410; chlorantha 410; deserti 410, 412; Echinus 410; Marstonii 404, 412
Cosmarium 591
Costus 521; speciosus 521, 526
Cotyledon sinus-Alexandri 591
Covillea 404; tridentata 406, 408, 410
Crassula multicava 340
Crenothrix polyspora 339
Crepis 209
Cristati 234, 235
Cronartium occidentale 129; ribicola 129, 204, 496, 499, 588
Crotalaria juncea 72
Croton capitatum 170
Crusonia wrightiana 78
Cryptanthus Glaziovii 72
Ctenoderma 627
Cucurbita maxima 674; Pepo 259
Cufodontia 146; Stegomeris 136
Cultural characteristics of the species of Fomes, The 31
Cupulifera 613
Cuscuta 76, 631, 632, 637, 643–645; arvensis calycina 631; campestris 631, 632, 636, 639, 643, 644; Cephalanthi 632, 633, 635, 636, 642–644; compacta 632, 636, 639, 642–644; Coryli 632, 633, 636, 640, 641, 643, 644; curta 642; epilinum 631; epithymum 631, 645; epithymum vulgaris 631; europaea 631; glomerata 632, 633, 636, 639, 642–645; Gronovii 632, 633, 635, 636, 638, 642–645; indecora 641; indecora neuropetala 632, 636, 641, 643, 644; monogyna 631, 643–645; pentagona 632, 633, 636, 639, 640, 643, 644; reflexa 635, 645; rostrata 642, 643
Cuscuta, The cytology of 631
Cyanothrix primaria 285, 286; Willei 285, 286
Cyathea purpurea 318
Cyathodium 494; barodae 199
Cycas 518; revoluta 518
Cycladenia 160; humilis 137, 145, 160, 162

Cyciamen 643
Cyclopeltis 313; semicordata 304, 313
Cylindrocarpon Ehrenbergi 126
Cylindrocystis 450
Cylindropuntia 400
Cynara Scolymus 525
Cyperus 340, 510; alternifolius 521, 522, 526; pilosus 341
Cytology of Cuscuta, The 631

Dactylella bembicodes 259
Dactylina artica 134
Daedalea ambigua 174, 647; confragosa 174; elegans 174; farinacea 174; juniperina 651; quercina 647; unicolor 174; **Westii** 649
Daldinia concentrica 169
Danaea 330, 550; nodosa 330
Darluca filum 169
Dasyscypha Willkommii 338
Datura 432; stramonium 198, 207, 257
Deamia **diabolica** 568, 570; Testudine 570
Debaryomyces 499
Delphinium albescens 28; azureum 27, 28; azureum Nortonianum 28; azureum vimineum 29; azureum virescens 28; camporum 29; carolinianum 27–29, 340; carolinianum crispum 28; carolinianum Nortonianum 28; carolinianum Penhardii 28; macroseratilis 29; Nortonianum 28; Penardi 28, 29; vimineum 29; virescens 28; **virescens camporum** 28, 29; virescens Penardi 28; **virescens vimineus** 28, 29; Wootoni 29
Delphinium carolinianum and its allies 27
Dendrium 99; Hugeri 101
Dendrochium compressum 169
Dendrostilbella 169
Dennstaedtia 313, 330; glauca 588; globulifera 313, 330
Desmarestia 504
Development of the embryo of Zizania aquatica in the seed and in artificial culture 11
Dicentra cucullaria 258
Dicranopteris 313, 330; linearis 313; pectinata 330
Dictyocha fibula 128
Dictyostelium discoideum 206
Difflugia urceolata 443
Diodia 128
Dioon edule 518, 520
Diospyros 97, 98, 607–609, 613; Andersonae 89, 91, 97; **Christophersenii** 613; cupulosa 613; ellipticifolia 610, 612; **ellipticifolia elliptica** 611, 612; ellipticifolia **iridea** 612; ferrea 609, 612; ferrea angustifolia 611; ferrea **Gillespiei** 610, 611; ferrea littorea 610; **ferrea nandarivatensis** 610; ferrea sandwicensis 610; **ferrea savaiiensis** 611; ferrea **subimpressa** 611; **globosa** 612; lateriflora 612, 613; princetoniana 98; **rufa** 613; samoensis 613; sericocarpa 613; virginiana 98; virginica 564
Diplazium 313; cristatum 374; obtusum 313; subobtusum 313, 322; undulosum 358
Diplocarpa 71
Diplophlyctis 440, 451, 621
Diplusodon 71
Dipteronia insignis 558, 561; sinensis 561
Dipteryx odorata 426
Distyla 443
Dodecatheon 127
Doryopteris 313; concolor 313, 314; pedata 305, 306, 313, 314
Dothichloe atramentosa 169
Dothiorella 134
Douglasia 335
Downingia 130
Draparnaldia 615
Drosophila melanogaster 443
DROUET, FRANCIS, Notes on Myxophyceae I–IV 285
Drymaria 498
Dryopteris 203, 304, 314, 347, 348, 360, 370, 375; affinis 364; ampla 314, 315; anceps 375; Andreana 350, 352, 365; Andreana glabra 352; angustifolia 350, 361; arborescens 369; **arcana** 350, 352, 354; brachyodus 315; Christii 348, 376; **chrysodioides** 351, 373–375; chrysodioides **goyazensis** 351, 374; Clintoniana 78; columbiana 314, 315; **consobrina** 350, 354–356; dentata 315, 316; Desvauxii 349, 351, 369, 370, 372; Desvauxii f. **glandulosa** 348, 351, 372; **dispar** 351, 364; ensiformis 350, 359; falcata 360; furcata 314; Ghiesbreghtii 348; gigantea 364, 365; glandulosa brachyodus 304, 315; gongylodes 305, 306, 315; **Hostmanni** 349, 351, 358, 269, 370; inaequalifolia 317; **Jurgensenii** 349, 350, 359, 360; Lechleri 366; **Liebmanni** 348; lingulata 350–352, 359; longifolia 369; macrophylla 374; membranacea 351, 365, 366, 374; meniscioides 348; mollis 306, 315, 316, 372; **nesiotica** 350, 362; pachysora 360; parasitica 314, 316; patens 305,

316; **permollis** 349, 351, 358, 370, 372; pilosula 314, 315; **pleiosora** 316, 317; Poiteana 305, 317, 348; pseudotetragona 317; reticulata 317, 350, 357, 358, 360, 372, 373; reticulata arborescens 369; reticulata longifolia 369; reticulata serrata 354; reticulata sorbifolia 358; Rolandii 318; rudis 304, 317; **Salzmanni** 350, 357, 360, 376; serrata 350, 354–357; simplicifrons 350, 354, 364, 365; sorbifolia 372; sorbifolia confertivenosa 360; sorbifolia mollis 372; sorbifolia punctivenulosa 360; **Standleyi** 351, 368, 369; subincisa 304; tetragona 305, 317; tricholepis 316, 317; turrialbae 350, 357; villosa 316
Dryopteris, subgenus Meniscium, The American species of 347
Dysmorphococcus 298; coccifera 299; variabilis 298, 300, 301

Echeveria 134, 503, 594, 673
Echinocereus 666; coccineus 406; Engelmanni 398, 400, 402, 404, 406; Fendleri 406; **Gentryi** 565, 566; mojavensis 404, 406; octacanthus 406, 410; papillosus 124; pensilis 427, 430; Reichenbachii 400; Steereae 565, 568; subinermis 565; triglochidiatus 406
Echinodorus tenellus 341
Echinomastus Johnsonii 398, 400, 404, 408
Effect of artificial wind on growth and transpiration in the Italian millet, Setaria italica 229
Eichleriella Leveilliana 170
Eidamella spinosa 127
Elaphoglossum 318, 328, 330; apodum 330, crinitum 332; mucosum 318; petiolatum 305; 306, 318
Eleocharis 429
Elfvingia applanata 647, 648; marmorata 647; tornata 647
Elsinoe 338, 497; australis 421; ledi 665
Elymus virginicus 207
Emergence of smut-inoculated oat seedlings through sand and loam soil, The 477
Endochytrium 440, 451, 621
Endothia parasitica 335
Endothiella gyrosa 169
Entophlyctis 451, 621
Entyloma australe 170
Ephedra 663
Epidendrum coriifolium 74; pansamalae 428
Equisetum 329, 510, 516, 518, 526, 528, 550; arvense 525; bogotense 329; **octangulatum** 558; palustre 556; pratense 518; scripoides 518, 526
Eragrostis 78, 431; cilianensis 133
Ericales III. The genus Leiophyllum, Studies in 99
Eriogonum 209, 671
Erwinia cytolytica 663
Erysiphe 668; graminis hordei 75, 258; Polygoni 596
Erythrina 588
Erythronium mesochoreum 131
Eschscholtzia californica 124
Espeletia grandiflora 256
Eucalyptus 206
Eucarteria 297
Eucentradenia 571
Euchlaena mexicana 259
Eudorina elegans 293
Eudryopteris 203
Eugaura 106
Eugenia Hookeri 201
Euglena viridis 443
Euglypha 443
Euheeria 573
Eumiconia 579
Eupatoria 431
Euphorbia 259, 336, 430, 494; calonesiaca 494; Caput 583; dentata 499; lacta 524; pseudocactus 586
Eustylis purpurea 72
Exidia alba 170

Fagus 520; americana 524; pacifica 89
Fagus-Acer 128
Fasciola hepatica 443, 444, 615
Ferocactus acanthodes 400, 404, 402, 408; Lecontei 408; Wislizeni 408
Ferreola 609, 612, 613; buxifolia 609; ellipticifolia 611
Ficus 97, 591; nitida 424
Flammula eccentrica 172
Flindersia 261
Florida Polypores, New 647
FOGELBERG, SIDNEY O., The cytology of Cuscuta 631
Fomes 31, 32, 35, 37, 41, 44–46, 48, 52, 53, 61, 65–68, 335; annosus 35, 37, 38, 56, 63, 66; applanatus 31, 35, 37, 38, 40, 44, 56, 62, 69, 174, 665; Calkinsii 35, 38, 40–42, 54–56, 61, 64, 168, 174; conchatus 35, 38, 40, 41, 48, 53, 56, 61, 63, 174; connatus 125; densus 35, 38, 40–42, 46, 55, 56, 61,

64, 174; Everhartii 35, 38, 40, 42, 56, 64; fomentarius 35, 38, 42, 43, 56, 62, 63; fraxineus 31, 35, 38, 40, 43, 44, 56, 58, 62, 69, 174; fraxinophilus 35, 38, 43, 44, 56, 60, 62; fulvus 35, 38, 44, 45, 56, 63, 64, geotropus 35, 38, 45, 52, 56, 63, 169, 174; igniarius 35, 38, 42, 46–48, 54–56, 61, 64, 69, 134; igniarius laevigatus 35, 38, 46, 47, 56, 63, 174; igniarius nigricans 47; igniarius **populinus** 35, 38, 41, 47, 48, 56, 63; juniperinus 35, 38, 48, 56, 63; lignosus 496; lobatus 35, 38, 44, 48, 49, 56, 63, 174; marmoratus 35, 43, 49, 50, 58, 63, 174; meliae 35, 50, 53, 54, 56, 58, 62, 174; officinalis 35, 50, 53, 58, 62, 69; ohiensis 35, 50, 52, 53, 58, 61, 62; Pini 35, 41, 50, 53, 54, 58, 63; pinicola 31, 35, 50, 53, 54, 56, 58, 63, 69, 424; rimosus 35, 40, 42, 46, 50, 54, 58, 61, 64, 174; robustus 35, 41, 42, 46, 50, 54, 55, 58, 61, 64, 168; robustus tsugina 35, 48, 55, 56, 58, 61, 63; roseus 35, 50, 54, 56, 58, 63, 69; scutellatus 35, 50, 58, 63; subroseus 35, 50, 54, 56, 58, 60, 63, 649; **taxodii** 661; tenuis 35, 50, 53, 56, 58, 60, 63, 174; torulosus 35, 40, 46, 50, 54, 55, 58, 61, 64, 174

Fomes, The cultural characteristics of the species of 31

Fomitiporia **punctatiformis** 659, 661

Forsteria 609, 612, 613

Forsteronia viridescens 137, 144, 158

Fosberg, F. R., Notes on plants of the Pacific Islands. 1. 607

Foster, Adriance S., Structure and growth of the shoot apex in Ginkgo biloba 531

Fourcroya 518

Franklinia alatamaha 665

Frankliniella insularis 592

Franseria 595

Fraxinus 502, 581; americana 426

Fremyella vitiensis 287

Froelichia floridana 664

Fucus 258, 264, 431

Fungi from the lower Mississippi Valley, Notes on 167

Funtumia elastica 137, 144, 148, 159, 166

Fusarium 257, 259, 505; coeruleum 665; culmorum 337; lycopersici 427; vasinfectum 75, 669

Gaillardia 421

Galapagos and Cocos Islands, Pteridophyta of the 303

Galinsoga ciliata 668

Galium circaezans 525; concinnum 525; triflorum 525

Ganoderma 647

Garnotia 595

Gaura 105, 225, 425, 667; angustifolia 106, 107, 116, 117, 213; angustifolia **Eatonii** 117, 118; angustifolia **simulans** 117, 118; angustifolia **strigosa** 117, 118; angustifolia **typica** 117, 226; australis 110; biennis 105, 106, 111, 112, 114; biennis Pitcheri 112, 113, 119; biennis **typica** 112, 113, 226; brachycarpa 105, 106, 211, 213, 226; bracteata 222; brassicacea 121; canescens 107; chinensis 225; cinerea 214; coccinea 107, 220, 221; coccinea **arizonica** 221, 225; coccinea **epilobioides** 221, 222; coccinea glabra 221, 223–225; coccinea integerrima 221; coccinea parvifolia 221, 223, 224; coccinea **typica** 220, 221, 223, 224, 226; coloradensis 114; crispa 222; Drummondii 219; Eatonii 118; epilobia 225; epilobioides 222; exaltata 119; filiformis 106, 118, 119; filiformis **Kearneyi** 119; filiformis Munzii 119, 120; filiformis **typica** 119, 226; filipes 107, 216, 217; filipse major 216, 217; filipes **typica** 216, 217, 226; fruticosa 117, 225; fruticulosa 225; glabra 224; glandulosa 112; gracilis 105, 106, 121, 122, 213, 218; gracilis **glandulosa** 121, 122, 218; gracilis **typica** 121, 226; grandiflora 108; heterandra 228; hexandra 212; hirsuta 228; hispida 219, 220; humilis 228; induta 224; laxa 228; leucocarpa 228; Lindheimeri 106, 115, 217, 226, 227; linearis 223; linifolia 228; longiflora 117; macrocarpa 106, 107, 115, 226; marginata 221; Michauxii 217; micrantha 109; mollis 107, 109; multicaulis 221; mutabilis 106, 107, 226; mutabilis **glabra** 108; Nealleyi 107, 121, 217, 218, 226; neomexicana 106, 113, 114; neomexicana **coloradensis** 114; neomexicana **typica** 114, 226; odorata 107, 115, 219, 226; oenotherifolia 107; parviflora 106, 108, 109; parviflora lachnocarpa 109–111; parviflora **typica** 109–111, 226; parviflora typica **glabra** 109, 110; parvifolia 223; Pitcheri 113; podocarpa 121, 122; Roemeriana 221, 222; simulans 118; sinuata 107, 218, 222, 226; spicata 222; strigillosa 121, 122; suffrutescens 222; suffulta 106, 120–122; suffulta **terrellensis** 120, 121; suffulta **typica** 120, 226; tri-

angulata 213; tripetala 106, 211–213; tripetala **Coryi** 212; tripetala **triangulata** 212, 213; tripetala **typica** 212, 226; undulata 117; 228; villosa 106, 213, 214; villosa **arenicola** 214, 215; villosa **McKelveyae** 214; villosa **Parksii** 214, 215; villosa **typica** 214, 226
Gaura, Studies in Onagraceae XI. A revision of the genus 105, 211
Gauridium 105, 106, 108; Kunthii 107; molle 107; mutabile 107
Gayophytum humile 228
Gelasinospora tetrasperma 200, 258, 260
Genetic analysis of the inheritance fragrance of Gladiolus, A 181
Gibberella saubinetii 428
Ginkgo 531, 534–537, 543, 544, 547, 549–554, 556; adiantoides 89–91; biloba 90, 555, 556; laramiensis 90; pseudoadiantoides 90
Ginkgo biloba, Structure and growth of the shoot apex in 531
Gladiolus 127, 181; fragrans 182; recurvus 181–184, 187–195, 197; tristis 181–197; tristis concolor 183
Gladiolus, A genetic analysis of the inheritance fragrance of 181
GLEASON, H. A., Notes on American melastomes, including nine new species 571
Gleichenia dichotoma 313; linearis 306, 313
Globulinea giganteus 672
Gloeotrichia natans 288
Gnetum 526
Gnomonia ulmea 668
Gomerella cingulata 586
Gonglyocarpus 105; fruticulosus 225
Goniopteris 348, 351
Goplana 627
Gouania 607, 608; dominguensis 608; javanica 608; **mangarevica** 607, 608; Richii 608; tiliaefolia 608; vitifolia 608
Gouldia 128
Grammica 631, 642
Grand Coulee, Washington, Additional Miocene plants from 89
Greigia Berteroi 72
Grindelia 133
Grisebachiella 165
Guepinia spathularia 170
Gymnocalycium Mihanovichii 77; Mihanovichii Friedrichii 77
Gymnogramma chaerophylla 308; leptophylla 308
Gymnogramme tartarea 306, 324; tartarea aurata 324
Gymnosporangium germinale 170
Gyrocarpus 257

Habranthus 84
Halicystis 499, 590, 670
Hamamelis 520
Hapalopilus rutilans 655; **subrutilans** 655, 661
Haplophyton cimicidum 136, 144, 160
Haworthia 205, 265; reinwardtii 522
Heeria 572
Helianthus 198, 510; annuus 232, 524
Helotium 342
Hemionitis pinnata 328
Hemitelia 318; multiflora 318; subcaesia 318
Henrya 261
Hepatica fasciola 448
Herbertia Drummondii 72
Heterocentron 572–574; alata 573; axillaris 575; elegans 573; **floribunda** 574; glandulosa 574, 575; laxiflora 573; mexicana 574; **muricata** 575; occidentalis 573; rosea 573; **salvadorana** 575; **sessilis** 573; subtriplinervia 573, 574, 576; suffruticosa 573, 576; undulata 475, 576
Heterogaura 105; heterandra 228
Heteroneuron meniscioides 375
Heuchera 431; arkansana 590
Hexagona alveolaris 647; daedalea 647
Hickenia 584
Hicoria Pecan 338
Hierochloe odorata 664
Himatanthus 140
Hippeastrum Blumenavia 428
Histiopteris 318; incisa 304, 318, 327
Holopedia 383; convoluta 385; geminata 386; **pulchella** 385, 386, 394; sabulicola 386
Hordeum vulgare 207
Hormiscia implexa 623
Hormospora pellucida 285
Hottonia inflata 437
HUME, H. HAROLD, The genus Cooperia 79
Hydnum ochraceum 171; pulcherrimum 171, 173
Hydrodictyon reticulatum 443, 615
Hymenochaete Curtisii 170; epichlora 170
Hymenophyllum 318, 332, 584; ciliatum 305, 306, 318; hirsutum 318; polyanthos 329, 332
Hypholoma incertum 172
Hypocrea rufa 169; sulphurea 169

Hypolepis 319, 322; repens 305, 306, 319; viscosa 332
Hypomyces Ipomoeae 259
Hypoxylon atropunctatum 169; botrys 169; haematostromum 169; rubiginosum 169

Ilex vomitoria 486, 490
Iliamna 78
Impatiens Sultani 633
Index to American Botanical Literature 70, 123, 198, 256, 334, 421, 493, 581, 675
Inga 587
Inheritance of fragrance of gladiolus, A genetic analysis of the 181
Ionopsis utricularioides 306
Ipomoea 202
Iresine lindenii 338
Irpex cinnamomeus 171; farinaceus 174; mollis 171; Ravenelii 171
Isoetes 588; lithophila 130
Isomeris arborea 257
Isostemones 571
Italian millet, Setaria italica, Effect of artificial wind on growth and transpiration in the 229
Iva imbricata 485
Ixeris 209

Jasminum malabaricum 625, 628
Johannesbaptisia Gardneri 286; **pellucida** 285; primaria 285; Willei 285
Juglans egregia 90, 92; hesperia 90; oregoniana 89, 90, 92
Juncus 340; Roemerianus 664
Juniperus 401; communis 526; utahensis 410

Kalanchoe 584; rotundifolia 502
KARLING, J. S., A large species of Rhizophidium from cooked beef 439; Studies on Rhizophidium II. Rhizophidium laterale 615
Kaulfussia 550
KAVANAGH, FREDERICK and WILLIAM J. ROBBINS, Thiamin and growth of Pythium Butleri 453
KECK, DAVID D., Studies in Penstemon VI. The section Aurator 233
Kniphofia uvaria 522

Labyrinthula 674
Lachnum virgineum 169
Lacmellia edulis 136, 140, 143, 156, 158, 166
Lactarius lactifluus 172; subvellereus 172
Lactuca 73, 429, 671
Laetiporus sulphureus 647
Lanopila 74
Laphophora Williamsii 432
Lapsana 343
Large species of Rhizophidium from cooked beef, A 439
LARUE, CARL D. and GEORGE S. AVERY, JR., The development of the embryo of Zizania aquatica in the seed and in artificial culture 11
Lastraea 314
Lathyrus 500
Laurus grandis 93, 94
Lechea 497
Leiophyllum 99, 100, 663; buxifolium 99, 101, 102; buxifolium Hugeri 101, 103; buxifolium typicum 101–103; Hugeri 99, 101, 102; Lyoni 99, 101, 102, 104
Leiophyllum, Studies in Ericales III. The genus 99
Lemaireocereus Beneckei 430
Lemna 460
Lentinus tigrinus 172
Lenzites betulina 174; saepiaria 174
Lepidium perfoliatum 672
Lepiota Morgani 172; procera 172
Leptinotarsa decemlineata 75
Leptocereus 202
Leptochilus 375; Fendleri 375
Leptochiton quitoensis 208
Leptosphaeria 260
Leskea 665
Lespedeza repens 169, 170
Liabum ovatum 131
Libocedrus decurrens 208, 518
Lilaea subulata 425
Lilium 500, 511, 526; longiflorum 583; tigrinum 199, 258
Liloeopsis 591
Linanthus 340
Lindernia microcalyx 671
Lindsaea 332; montana 332
Linum Lewisii 493
Liquidambar 96; californicum 89, 91, 96; europaeum 96; pachyphyllum 96; styraciflua 176
Literature, Index to American Botanical 70, 123, 198, 256, 334, 421, 493, 581, 675
Lithops bella 335
Litobrochia pedata 313
Lobivia aurea 77; Backebergii 77; Cumingii 76; grandiflora 77

Lochnera 155, 156, 161, 163; rosea 136, 138, 144, 152, 155
Lonchites repens 319
Lophotocarpus spongiosus 423, 662
LUNDELL, C. L., Studies in the American Celastraceae 1. New species of Microtropis, Wimmeria and Zinowiewia 463
Lupinus albus 130
Lychnis dioica 73, 343
Lycopersicum esculentum 336, 431, 674
Lycopodium 257, 329, 333, 537, 538, 544, 550, 552, 553; annotinum 518; cernuum 305, 306, 329; clavatum 306, 329; complanatum 306, 329, 522; dichotomum 305, 329; lucidulum 518, 521, 525; obscurum 516, 518, 525; Pittieri 333; reflexum 305, 329; taxifolium 305, 329
Lyngbya confervoides 291; gigantea 289; hahatonkensis 292; ochracea 291
Lyngbyopsis 286; Willei 286

Maba 609, 613; buxifolia 610; cupulosa 613; elliptica 611, 612; globosa 612; nandarivatensis 610; parviflora 613; rufa 613; samoensis 613; sandwicensis 609–612; savaiiensis 611; sericocarpa 613; yaouhensis 613
Macrosiphonia Brachysiphon 137, 146, 158; Macrosiphon 137, 158
Magnolia 93, 94, 495; acuminata 94, 581; californica 97; culveri 96; dayana 93; foetida 93; glauca 655; hypoleuca 96; Inglefieldi 89, 94; obovata 93, 96; spectabilis 89, 91, 93, 94
MAINS, E. B., Studies in the Uredinales, the genus Chaconia 625
Malouetia guatemalensis 137, 143, 158
Malva neglecta 345
Mammillaria microhelia 77; microheliopsis 77; viridiflora 126; Zeilmanniana 77
Mandevilla 155, 156; Bridgesii 137, 138, 146, 158, 166; hirsuta 137, 140, 145, 158; illustris 137, 145, 156, 158; laxa 137, 146; splendens 145, 156, 158; subsagittata 140, 144, 158, 152, 155, 156, 166
Marasmius iocephalus 172; siccus 172
Maravalia 625, 626; albescens 627
Marchantia 202; polymorpha 437, 438
Marginaria ensifolia 324; incana 326
MARTIN, ROBERT F., Delphinium carolinianum and its allies 27
Maryland Algae, Notes on 293
Mascarenhasia elastica 137, 146, 158
MAXON, WILLIAM R. and C. V. MORTON, The American species of Dryopteris, subgenus Meniscium 347
MCLEAN, FORMAN T., A genetic analysis of the inheritance fragrance of Gladiolus 181
Medullosa Noei 74
Melampsora Humboldtiana 170; Medusae 169, 170
Melanconis 594, 673
Melastoma 573
Melilotus 345
Meniscium 347–349, 355, 359, 369, 374, 375; acrostichoides 358; affine 364; Andreanum 352; angustifolium 361; arborescens 369; chrysodioides 372; cristatum 374; dentatum 354; elongatum 357; falcatum 360; Fendleri 374; giganteum 364; guyanense 374, 375; Jurgensenii 360; Kapplerianum 369; longifolium 369, 370; macrophyllum 375; oligophyllum 375; opacum 348, 376; palustre 354; reticulatum 358, 366; rostratum 354; salicifolium 376; Salzmanni 357; Schreberi 358; serratum 354; sessilifolium 357; sorbifolium 358, 372
Meniscium, The American species of Dryopteris, subgenus 347
Mentha 201
Merismopedia 380, 383, 384, 386; chondroidea 384, 385, 394; convoluta 380, 383, 385, 386; convoluta minor 383; elegans 380; gigas 395; glauca 380; glauca fontinalis 383, 384; Marssonii 385; paludosa 383; punctata 380–385, 394; tenuissima 384, 385; thermalis 383; Trolleri 385, 394
Mertensia 78, 164; pectinata 330
Mesechites trifida 137, 145, 158, 166
Mesotaenium 74
Mettenuisa 72
Miconia 579, 580; filamentosa 579; **incurva** 580; Sprucei 579
Microchaete vitiensis 287
Microcystis 378–380, 382, 394; aeruginosa 288, 289, 378, 379; flos-aquae 378, 382; incerta 377, 378; marginata 378; protocystis 378; pulverea 377, 378; viridis 378
Microdictyon 348
Micromyces 126
Microporellus dealbatus 649; mutabilis 649
Microsphaera 668
Microtropis 463; Schiedeana 464; **Standleyi** 463, 464
Microtropis, Wimmeria and Zinowiewia, Studies in the American Celastraceae 1. New species of 463

Mimulus 424
Minnesota pond, The taxonomy of a community of blue-green algae in a 377
Miocene plants from Grand Coulee, Washington, Additional 89
Mississippi valley, Notes on fungi from the lower 167
Monadenium lugardae 589
Monascus 132
Monochaetum 577; **compressum** 577; Deppeanum 578; macrantherum 578; **rubescens** 578
Monogyna 631, 643, 644
Monostyla 443
MOORE, JOHN ADAM and ROBERT E. WOODSON, JR., The vascular anatomy and comparative morphology of apocynaceous flowers 135
MORTON, C. V. and WILLIAM R. MAXON, The American species of Dryopteris, subgenus Meniscium 347
Morus alba 427, 524, 553
Mougeotia 615, 623
Mucor Ramannianus 275, 461
MUNZ, PHILIP A., Studies in Onagraceae XI. A revision of the genus Gaura 105, 211
MURPHY, JAMES, Raymond H. Torrey 433
MURRILL, W. A., New Florida Polypores 647
Musa 521; sapientum 526
Mutisia oligodon 208
Mycena 133
Mycosphaerella fragariae 668; rosicola 663
Myriangium 499
Myrica cerifera 486, 487, 490
Myrtus lechleriana 669
Myxophyceae I–IV, Notes on 285

Naias 526
Najas gracillima 259, 343
Narcissus 439, 443, 444, 448
Narda 495
Naxia tumida 497
Nectria sanguinea 169
Nephrochytrium 497
Nephrodium 348; brachyodon 315; giganteum 364; Lechleri 366; longifolium 369; macrophyllum 328, 375; molle 316; paleaceum 314; pectinatum 319; reticulatum 358; serratum 354; sorbifolium 358, 372; sorbifolium molle angustipinnata 372; unitum 315; villosum 316
Nephrolepis 319, 332; acuta 319; biserrata 305 306, 319, 332; pectinata 305, 306, 319
Nerium 135, 138; Oleander 137, 145, 149, 160
Neurospora 495; tetrasperma 71, 664
New Florida Polypores 647
New green alga: Oedocladium Lewisii, A 23
New species, Notes on American melastomes, including nine 571
New species of cacti from Guatemala, Mexico and Texas 565
Nicotiana 133, 198, 200, 261, 264, 334, 423; Langsdorffii 133; rustica 633; Sanderae 133; tabacum 663
Nigroporus vinosus 649
Nitella 198, 259, 440, 443; flexilis 439, 443, 615; hyalina 429
Nodularia fusca 285
Nostoc 288; Botrydium 291; commune 291; crepitans 291; pruniforme 291; verrucosum 291
Notes on American melastomes, including nine new species 571
Notes on fungi from the lower Mississippi valley 167
Notes on Maryland algae 293
Notes on Myxophyceae I–IV 285
Notes on plants of the Pacific Island. 1. 607
Notholaena 319; candida 304, 320, 322; candida lutea 320; **galapagensis** 304, 306, 319, 322; sulphurea 320, 322
Nummularia clypeus 169
Nyssa 564; aquatica 558, 564; crenata 564; hesperia 564; Knowltoni 564; **oregonensis** 564

Obelidium mucronatum 343
Ochna serrulata 260
Odontadenia 146, 156; Hoffmannseggiana 137, 146, 156, 158; Schippii 137, 142, 146, 158
Odontia 172; Archeri 170; barba-Jovis 171; **brunnescens** 171, 173; ciliolata 171; farinacea 171; fimbriata 171, 172; macrodon 171; setigera 171
Oedocladium 24–26; Hazenii 23; **Lewisii** 23, 344; protonema 23, 26; Wettsteinii 26
Oedocladium Lewisii, A new green alga 23
Oedogonium 24, 26, 443, 450, 616
Oenothera anomala 107; Heribaudi 107 Lamarckiana late 199; parviflora 112; pollicata 71; organensis 495; rosea 225
Oleandra 332; articulata 332
Olfersia Langsdorfi 318
Olivea 627
Omphalia 662; campanells 172

Onagraceae XI. A revision of the genus Gaura, Studies in 105, 211 (concluded)
Ophioglossum petiolatum 494
Opuntia 260, 265, 336, 341, 400, 404, 511, 595; acanthocarpa 400, 408; aurea 401; basilaris 401, 404; Bigelovii 401, 404, 427; brachyclada 401; chlorotica 402; echinocarpa 400, 402; erinacea 404; fragilis 400, 402, 410; imbricata 507, 518, 525; phaeacantha 401, 410; polyacantha 398, 399, 401, 402, 404, 410; Ramosissima 400; rhodantha 402, 404; rubrifolia 401; stenochila 404; tenuispina 404; Whipplei 400; Wrightiana 70; xanthostemma 404
Oscillatoria 388, 390; **amethystina** 390–394; amphibia 390; anguina 289; animalis 288; calida 291; chalybea 289, 390, 392, 393; flexuosa 292; fontinalis 292; formosa 390, 391; Friesii 292; fusco-purpurea 292; geminata 390; **Levaittae** 391–392; limosa 292, 390; maricola 286, 287; Mougeotii 390; Okeni 289, 290, 390; princeps 289; princeps maxima 390; princeps tenuior 390; splendida 289; tenuis 390; terebriformis 390; vaginata 292; violacea 391
Osmunda cervina 332
Ostrya 520, 594
Ouratea 72
OVERHOLTS, L. O., Notes on fungi from the lower Mississippi valley 167

Pachyphytum viride 134
Pacific Island. 1, Notes on some plants of the 607
Paeonia 342, 343; suffruticosa 207
Pallavincia 495; Lyellii 505
Panax 561; quinquefolium 561; trifolium 561
Pandanus 521, 526, 528; Veitchii 501
Pandorina morum 293
Panicum 78, 673
Panus angustatus 172; laevis 172, 173; rudis 172; stypticus 172
Paralyxia 203
Parasitella 461
Parmelia Cladonia 438
Parodia aureispina 430
Parosela spinosa 500
Paspalum 426
Paullinia Bernhardi 76, 672
Pavonia Julianae 76, 672
Pedilanthus 336, 507, 520
Pediocactus 398; Simpsonii 409
Pelagophycus porra 338
Pelargonium 150, 163, 641; hortorum 633, 639
Pellaea atropurpurea 320; geraniaefolia 313
Pellionia pulchra 77
Penicillium 70, 588
Peniophora carnea 170; cremea 171; gigantea 171; Roumeguerii 171
Penium 450
Penstemon 126, 202, 233, 666; albidus 233–235, 237; auriberbis 234, 245, 237, 238; auricomus 252; calcareus 236, 245, 247; Cleburnei 236, 249, 252, 253; Cobaea 233–236; Cobaea purpureus 235, 236; Cobaea typicus 235, 236; cristatus 250; dayanus 254; desertorum 246; divergens 245; dolius 235, 243, 245, 249; eriantherus 234–236, 249–253; eriantherus argillosus 254; eriantherus **grandis** 251; eriantherus **redactus** 252; eriantherus saliens 250; eriantherus Whitedii 253; Gormanii 236, 249; Grahamii 236, 248, 249; guadalupensis 233–235, 237; guadalupensis Ernesti 235, 237; guadalupensis typicus 235, 237; Hansonii 236; Helleri 237; isophyllus 132; Jamesii 234, 235, 238, 252; Jamesii **breviculus** 239, 241, 242; Jamesii **ophianthus** 239, 240, 242; Jamesii **typicus** 239, 242; miser 236, 247, 249; Moffatii 235, 242, 249; Moffatii **Marcusii** 242, 243; Moffatii **Paysonii** 242, 243; Moffatii **typicus** 242, 243; monoensis 236, 245, 247; ophianthus 240–242; parviflorus 235, 238, 239; Paysonii 243; pilosigulatus 240; pseudohumilis 243; pumilus 235, 244, 245; teretiflorus 237; triflorus 233–236; triflorus integrifolius 235, 237; triflorus typicus 235, 236; saliens 250, 252; similis 239; viscidulus 237; Whitedii 236, 252, 253; Whitedii **dayanus** 253–255; Whitedii **tristis** 245, 253–255; Whitedii **typicus** 253, 255
Penstemon VI. The section Aurator, Studies in 233
Peperomia 597
Perezia Pringlei 125
Periploca graeca 142
Peronospora destructor 667
Pestalotia macrotrichia 71
Petitia 264
Petrea 499
Pezicula 132
Peziza pustulata 259
Phacelia 262; crenulata 76
Phacus pleuronectes 443
Phakopsora Crotonis 170

Phaseolus 6, 7; vulgaris 5, 6, 345, 428
Phaseolus vulgaris, Starch formation in the leucoplasts of 1
Phegopteris 348; Andreana 352; angustifolia 361; arborescens 369; falcata 360; gigantea 364, 365; macrophylla 375; membranacea 365, 366; mollis 372; palustris 354; reticulata 358; serrata 354; sorbifolia 358
Phellosperma tetrancistra 404, 409
Philadelphus microphyllus 182
Phlebia 172
Phlox bifida glandifera 207; nivalis 431; ovata 430
Phlyctidium 451, 615, 620; Haynaldii 623, 624
Phlyctochytrium 444, 451; bisporum 442, 445, 448, 450, 451
Phoenix 334
Phoma Puttemansii 124
Phomopsis 335
Phoradendron macrophyllum 626
Phormidium autumnale 292; Chungii 289; favosum 292; inundatum 291, 292; laminosum 289; mucicola 288, 289; penicillatum 286, 287; purpurascens elegans 291, 292; Retzii 292; Setchellianum 292; Treleasei 291; uncinatum 292
Phycastrum 450
Phycomyces 206, 268, 269, 272, 459, 461; Blakesleeanus 267–269, 273–275, 458, 459
Phyllachora graminis 169
Phyllostachys aurea 426; edulis 597; sulphurea viridis 597
Phyllosticta acericola 169; Labruscae 169
Phymatotrichum 75, 503, 671; omnivorum 201, 592; silvicolum 429
Physalospora obtusa 128
Physcomitrium pygmaeum 495
Physorhizophidium pachydermum 617
Phytolacca decandra 263
Phytomonas lactucae-scariolae 75; pruni 75; stewarti 344, 501
Phytomorula 126
Phytophthora 75, 199, 257, 268, 270–273, 275, 429, 461, 668; Boehmeriae 268–270, 272, 275; cactorum 268, 269, 272–275, 432, 663; cambivora 268, 272, 275; capsici 268, 271, 272, 275; cinnamomi 268–275; citrophthora 268–270, 272, 275, 432; cryptogea 268, 272, 275, 593; Drechsleri 268, 272, 275; fagopyri 268, 270–275; infestans 591; palmivora 268, 269, 272, 275; parasitica 268, 270, 272, 275
Phytophthora, Thiamin and growth of species of 267
Picea 537, 552, 553; abies 520; excelsa 556; mariana 586
Pinckneya pubens 672
Pinus 201, 512, 537, 552, 553, 555, 558; austriaca nigra 615; banksiana 615, 668; caribaea 516, 520, 525; coulteri 520; densiflora 615; glabra 520; Knowltoni 558; montana 556; monticola 204, 499; nigra 520; ponderosa 505; rigida 335; sabiniana 520; Strobus 496, 525; sylvestris 344, 615; taeda 170, 174, 486, 490, 520; Thunberghii 615; torreyana 520; virginiana 520
Pisum sativum 74, 259, 443, 663
Pitahaya 595
Pithecolobium divaricatum 625, 628; glomeratum 625, 628; Peckii 625; Recordii 625, 628
Pithophora 439, 443
Pityrogramma 322; calomelanos 305, 306, 322; Presliana aurata 324
Planera 520
Plantago 591; pachyphylla 591
Plants of the Pacific Island. 1, Notes on 607
Plectocolea 495
Pleiocarpa 136, 152, 154, 155, 160, 163; bicarpellata 136, 145, 152 155, 160; mutica 136, 138, 145, 152, 154, 155, 161, 163
Pleiochloris 297
Plenckia 589
Pleopeltis aurea 324; lepidota 324; macrocarpa 324
Pleurotus 173; corticatus 172; ostreatus 172
Plumeria 140; rubra 136, 145, 160, 166
Plumeriopsis Abhouai 136, 145, 158
Poa annua 11, 21; Chaixii 339
Poecilopteris meniscioides 375
Pogonatum 70
Pogotrichum filiforme 342
Polemoniella 673
Polemonium 673
Polybotrya 332; cervina 332
Polypodium 324, 332; angustifolium 305, 324; astrolepis 332; aureum 305, 324; Berteroanum 317; crassifolium 305, 324, 325; Fraseri 326; Hostmanni 369; incanum 325; lanceolatum 305, 306, 324; latum 332; lepidopteris 306, 320, 325; leucosticton 326; loriceum 304, 325; meniscioides 348; paleaceum 314; paradiseae 325; pectinatum 305, 325; percussum 304, 325; Phyllitidis 305, 306, 324, 325; pleiosorum 304, 316; polypodioides 305, 325; reticulatum 347, 348, 358; rude 317; squamatum 304, 326; steirolepis

322, 325, 326; thyssanolepis 325; tridens 304, 306, 326
Polypores, New Florida 647
Polyporus abietinus 174; adustus 174; albiceps 655; amygdalinus 647; anceps 174; arcularius 174, 647; **Arnoldae** 653; **avellaneialbus** 661; badius 649; betulinus 424; biformis 174; cinnabarinus 174; cristatus 174; croceus 649; Curtisii 174; cuticularis 174, 176; dichrous 174; distortus 174, 179; dryadeus 168; dryophilus 168, 174; fimbriatus 174, 175; fissilis 168, 174, 176, 178; focicolus 174; frondosus 174; galactinus 174; giganteus 174; gilvus 174; hirsutus 174; hispidus 168, 174, 178, 428; **Humeanus** 661; hydnoides 174; lucidus 168, 175, 176; ludovicianus 168, 175, 176; maximus 175; mutabilis 175, 649; nidulans 175; obtusus 175; palustris 168, 175; pargamenus 175; persicinus 175, 179; pinsitus 175; polyporus 647; porrectus 175; radiatus 179; radiatus **Cephalanthi** 175, 179; rhipidium 175; **Rhoadsii** 653, 654; rigidus 168; robiniophilus 175; sanguineus 175; Schweinitzii 175, 597; sector 175; semipileatus 175; Spraguei 175; **subabortivus** 661; **subcubensis** 661; subectypus 175; submurinus 175; **subrutilans** 661; sulphureus 168, 176; sulphureus cincinnatus 175, 179; supinus 175; tenuis 175; **Tisdaleanus** 661; versatilis 175; versicolor 175; vinosus 175; virgatus 653; **Westii** 650–652; zonalis 168, 175, 178
Polystichum 327; aculeatum 327; adiantiforme 305, 306, 327; apiifolium 313; coriaceum 327; pycnolepis 327
Polystictus **subabietinus** 661; **sublimitatus** 661; tenuis 175; **tenuispinifer** 661; versicolor 424
Polytrichadelphus Lyallii 499
Polytrichum 70
Populus 206, 513, 526, 667; balsamifera 507, 513, 516; deltoides 169, 170, 174; heterophylla 662
Poria **alachuana** 659; albocincta 175; ambigua 175, 180; attenuata 648; candidissima 175; eupora 175, 648; **ferruginicincta** 660; ferruginosa 175; **flaccida** 175, 180; **Floridae** 659; **holoseparans** 660; inermis 175; **lacteimicans** 660; laevigata 174; Langloisiana 175; Langloisii 175; medullapanis 175; nigrescens 175; punctata 175; **punctatiformis** 661; undata 168, 175; versipora 175; vincta 648.
Porphyridium 387
Porphyrosiphon Notarisii 291
Portulaca 585
Potamogeton 280, 283; crispus 277, 282, 283
Potentilla tridentata 437, 438, 666
Prenanthes 671
Prestonia 150; acutifolia 137, 145, 158, 166; portobellensis 137, 138, 145, 149, 151, 158
Prosopis 583
Prosthecium 673
Protodontia 77
Psaronius 128
Pseudoagloë 296
Pseudoeugenia 264
Pseudoleskea 665
Pseudotsuga taxifolia 78, 505, 513
Pseudovalsa 673
Psilophytales from the Hamilton group in western New York, Some 599
Psilotum 330; nudum 305, 306, 330; triquetrum 330, 556
Psoralea psoralioides 260
Ptelea 132, 561; **enervosa** 560, 562; miocenica 560; mollis cryptoneura 560, 562
Pteridium 327; aquilina esculenta 327; arachnoideum 306, 318, 327
Pteridophyta of the Galapagos and Cocos Islands 303
Pteris 327, 550; aculeata 327; angustifolia 309; apicalis 327; aurantiaca 320; biaurita 305, 306, 318, 327; incisa 318; lutea 320; pedata 313; propinqua 327; propinqua Cumingiana 304, 327; quadriaurita 305, 306, 327; sulfurea 320
Pterogyne nitens 426
Puccinia graminis avenae 339, 666; graminis Tritici 339; Hydrocotyles 170; iridis 340; Parkerae 502; Polygoni-amphibii 170; Smilacis 170; Xanthii 170
Pycnoporus sanguineus 647
Pyramidomonas 301
Pyramimonas 293; inconstans 293; montana 293, 295, 296, 300, 301; tetrarhyncus 293
Pyrolirion 84; albicans 83, 84, 87
Pyropolyporus **taxodii** 651, 661
Pythium 454, 456; Butleri 453–461
Pythium Butleri, Thiamin and growth of 453

Quercus 512, 524, 526; alba 560; Catesbaei 490; consimilis 92; **malheurensis** 560, 562; marylandica 170; Merriami 92; nigra 169,

176; Phellos 176; spokanensis 89; ursina 89, 92, 95; virginiana 486, 490
Quercus-Carya 128

Raduia 125
Radulum **vinosum** 171, 172
Randia 607; cochinchinensis 614; coffeoides 614; Graeffei 614; racemosa 614
Ranunculus neglectus 77
RAO, V. PANDURANGA, Effect of artificial wind on growth and transpiration in the Italian millet, Setaria italica 229; Response of sorghum to high and low soil moisture 413
Raphia 512
Rauwolfia 206; tetraphylla 136, 140, 146, 147, 158, 166
Raymond H. Torrey 433
Razumovia 264
READ, CHARLES B., Some Psilophytales from the Hamilton group in western New York 599
Rebutia Fiebrigii 77; Marsoneri 430; pseudodeminuta 430
Regnellidium diphyllum 497
Rehmiellopsis bohemica 594
Response of sorghum to high and low soil moisture 413
Rhabdadenia biflora 137, 144, 158
Rhamnites 97
Rhamnus 97
Rhapidophyllum Hystrix 134
Rhazya orientalis 136, 144, 160
Rhipsalis Bartlettii 567, 569
Rhizoctonia solani 424
Rhizophidium 439–442, 444–451, 615, 619, 621, 622; agile 442, 443, 448, 450, 451; carpophilum 623; gibbosum 442–444, 448, 450, 451; laterale 615, 616, 618, 620–623; **macrosporum** 439, 440, 442; messanense 444; rostellatum 448, 450, 451; rotellatum 450; sphaerocarpum 441, 445, 446, 621
Rhizophidium from cooked beef, A large species of 439
Rhizophidium laterale, Studies on Rhizophidium II 615
Rhizophlyctis 440
Rhododendron
Rhodotorula 461
Rhoeo 521; discolor 522, 526
Rhus 198, 493, 561; bendirei 90; diluvialis 561; glabra 130, 526; Merrilli 89; **oregonensis** 561, 562; Toxicodendron 170, 561; trilobata 561
Rhynchanthera 561; Hookeri 571; mexicana 571; **paludicola** 571
Rhytisma acerinum 169; Vaccinii 169
Ribes 204, 588; aureum 597; lacustre 499
Riccardia 495
Ricinus communis 207
ROBBINS, WILLIAM J., Thiamin and growth of species of Phytophthora 267
ROBBINS, WILLIAM J. and FREDERICK KAVANAGH, Thiamin and growth of Pythium Butleri 453
Rosellinia necatrix 203
Rotrychium dissectum 501
Rubus 513, 597; frondosus 507, 513

Saccoloma 333; elegans 333
Saintpaulia ionantha 341
Salpiglossis 259
Salsola collina 499
Salt spray: an important factor in costal ecology 485
Salvia 337, 526
Salvinia 594; natans 526
Sapindus oregonianus 498
Saprolegnia ferax 505
Sapromyces Reinschii 673
Saracha 590
Sceptranthes 79, 80; Drummondii 79, 82, 84
SCHAFFNER, JOHN H., Spiral systems in the vascular plants 507
Schizocarya crispa 222; Drummondii 219; Kunthii 222; micrantha 109, 110
Schizocentron 573
Schizococcus 260
Schizophyllum commune 172
Schozopodium 600; dividi 600, 601, 606; **mummii** 600–602, 606
Schizorcarya 105
Schizothrix mexicana 286; thelephoroides 288
Scirpus tuberosus 426
Sclerocactus polyancistrus 408; Whipplei 398, 408, 410
Sclerotinia 497; fruticola 586
Sclerotinosis 258
Sclerotium rolfsii 666
Scutiger persicinus 648
Scytonema atrovirens 291; guyanense 291; Hofmannii 287
Sebacina incrustans 170
Secale cereale 127, 207
Selaginella 73, 333, 518, 526; arenicola 518, 525; horizontalis 333; kraussiana 522

Senecio bombycopholis 125; millefolium 256; moreliae 125; rugelia 256; Tabacon 428
Septobasidium 259, 425; pseudopedicellatum 170; retiforme 170
Septoria 597; lycopersici 432; Rubi pallida 169
Septotinia 78
Sequoia washingtoniana 525
Setaria italica 229–232
Setaria italica, Effect of artificial wind on growth and transpiration in the Italian millet 229
Setchelliella pilosa 287
Shunk, I. V. and B. W. Wells, Salt spray: an important factor in coastal ecology 485
Sibbaldiopsis tridentata 438
Silene menziesii 668
Silphium 205
Skierka 627
SMITH, HELEN V., Some new and interesting late tertiary plants from Sucker Creek, Idaho-Oregon boundary 557
Solanum 202; tuberosum 427, 513
Solenia candida 175
Solidago 128; rugosa 261; sempervirens 261
Some new and interesting late tertiary plants from Sucker Creek, Idaho-Oregon boundary 557
Some Psilophytales from the Hamilton group in western New York 599
Sordaria fimecola 265
Sorghum 416, 418; cernuum 413
Sorghum to high and low soil moisture, Response to 413
Spaeropsis ellisii 494
Sphaceloma 201, 497; symphoricarpi 66
Sphacelotheca cruenta 131
Sphaerocarpos 198, 340
Sphaerotheca lanestris 430
Sphenospora 627
Spiral systems in the vascular plants 507
Spiranthes gracilis 335
Spirillum Jenneri 388, 389
Spirodela polyrrhiza 432
Spirogyra 450, 615, 616, 623; crassa 443, 450, 615
Spirulina 388, 390, 395; **aeruginea** 387–390, 392–394; **amethystina** 388–394; densa 290; Jenneri 388; Jenneri platensis 290; major 290; platensis 289; vaginata 422
Spondylomorum quaternarium 299, 301
Sporobolus Berteroanus 169
Spruceanthus 72
Stagonospora Curtisii 202
Starch formation in the leucoplasts of Phaseolus vulgaris 1
Stauropteris 605
Stelis 662
Stemmadenia 158 162; Alfari 136, 143, 156 159; grandiflora 136, 142, 143, 159; obovata 136, 143, 159
Stemonitis 201
Stenosiphon 105; linifolium 228
Stereum fasciatum 171; frustulosum 171, 179; fuscum 171; gausapatum 171; pargamenum 171, 173, 175; rameale 171; Ravenelii 171; subpileatum 171, 179; umbrinum 171
Stigeoclonium 615, 623; tenue 615, 616
Stigmaria 510
Stigmatopteris 348, 349, 376
Strobilomyces strobilaceus 174
Strophanthus 138, 150; dichotomus 137, 145, 160; gratus 137, 145, 148, 160, 166; sarmentosus 137, 145, 149, 150, 160
Structure and growth of the shoot apex in Ginkgo Biloba 531
Studies in Ericales III. The genus Leiophyllum 99
Studies in Onagraceae XI. A revision of the genus Gaura 105, 211
Studies in Penstemon VI. The section Aurator 233
Studies in the American Celastraceae 1. New species of Microtropis, Wimmeria and Zinowiewia 463
Studies in the Uredinales, the genus Chaconia 625
Studies on Rhizophidium II. Rhizophidium laterale 615
Stylocoryne coffeoides 614; racemosa 614
Styrax 127
SVENSON, H. K., Pteridophyta of the Galapagos and Cocos Islands 303
Symphoricarpos albus 593
Symploca profunda 286
Symplococarpon Hintoni 123
Synechococcus aeruginosus 386, 387

Tabernaemontana acutissima 136, 142, 143, 159; arborea 136, 143, 159; chrysocarpa 136, 138, 140, 145 159, 166; Cumingiana 136, 144, 159; divaricata 136, 144, 159
Taenitis angustifolia 309
Taphrina caerulescens 169
Taxonomy of a community of blue-green algae in a Minnesota pond, The 377
Taxus baccata 501

Tectaria 328; martinicensis 305, 328
Tetrachondra patagonica 664
Tetramerium 261
Tetrapedia 383
Thalictrum 207
Thelypteris serrata 354
Thenardia Galeottiana 137, 138, 144, 158
Thevetia peruviana 136, 138, 140, 146, 147, 158
Thiamin and growth of Pythium Butleri 453
Thiamin and growth of species of Phytophthora 267
Thompsonella 76
Thraustotheca clavata 428
Thrinax 493
Thuja 526
Tibouchina paludicola 571
Tildenia pilosa 287
Tilia 520, 526
Tillandsia insularis 306
Tilletia levis 265, 665; Tritici 265, 665
Tingia 585
Tithymalus 336
Torrey, Raymond H. 433
Trachelospermum difforme 137, 144, 158; jasminoides 137, 144, 158
Trachomitum 149, 150, 160; venetum 137, 145, 161
Trachypteris 328; Drakeana 304; **Gilliana** 328; Gillianum 304; pinnata 304, 306, 328
Tradescantia 78, 207, 669; ozarkana 71; paludosa 673
Trametes amygdalina 647; cubensis 175, 657; **Humaena** 656, 661; malicola 175; rigida 175; sepium 175; **subcubensis** 656, 661; subroseus 69; versatilis 175
Trapa bicornis 668
Tremellodendron 77; pallidum 170
Tribulus 521; terrestris 526
Trichomanes 329, 333; capillaceum 333; cocos 320, 333; elegans 333; Hookeri 333; Krausii 305, 329; pusillum 329; radicans 333
Tridens 426
Trifolium 668
Trillium 201, 262
Triodia 664
Trisetum 673
Triticum 262, 443 664; aestivum 590
Trixis decurrens 125
Tropaeolum 640; majus 639, 640
Tsuga candensis 520
Tulipa 431, 596
Tympanis 129
Tyromyces **avellaneialbus** 657, 661; Spragui 656

Ulmus 520, 526; americana 522; fulva 673
Ulothrix 615, 616, 618; zonata 615, 618, 623
Uniola paniculata 485
Urechites Andrieuxii 137, 144, 158 166
Uredinales, the genus Chaconia, Studies in the 625
Urginea maritima 583
Urnula Geaster 71
Uromyces albescens 627; Lespedezae-procumbentis 169, 170; pallescens 625; Toxicodendri 170
Ustilago avenae 77, 477, 483; Hordei 343; Kolleri 483; levis 477, 479 481–483
Utah, The Cactaceae of southern 397
Utahia Sileri 400, 406, 409
Utricularia 283

Vaccinium 670; arboreum 169
Vagnera stellata 438
Valeriana parnassiifolia 427
Valerianella 664
Vallisneria spiralis 596
Valonia 336, 425, 502
Vascular anatomy and comparative morphology of apocynaceous flowers, The 135
Vaucheria 23, 124, 426, 450, 593
Venturia inaequalis 667
Verbena stricta albiflora 672
Vernonia fasciculata corymbosa 669
Verticillium 75
Viburnum 261; Opulus 555; rufidulum 555
Vigna sinensis 256
Vinca 161, 163; major 136, 144, 155; minor 136, 144, 155, 166
Vitis vinifera 130, 674
Vittaria 333; angustifolia 309; lineata 333
Volvaria bombycina 172, 173
Vulpia 129

Washington, Additional Miocene plants from Grand Coulee 89
Wedelia glauca 128
Weichselia 257
WELLS, B. W. and I. V. SHUNK, Salt spray: an important factor in coastal ecology 485
Whitford, L. A., A new green alga; Oedocladium Lewisii 23
Wimmeria 463; **acapulcensis** 465–467; Bartlettii 467, 469; concolor 469; confusa 467,

468; lanceolata 467; pallida 467; persicifolia 467
Wimmeria and Zinowiewia, Studies in the American Celastraceae 1. New species of Microtropis, 463
Winter buds of Brasenia, The 277
Wolffiella floridana 355; oblonga 128
WOODSON, JR., ROBERT E. and JOHN ADAM MOORE, The vascular anatomy and comparative morphology of apocynaceous flowers 135
Woodwardia 557; crenata 557; **deflexipinna** 557, 558; Maxoni 557; virginica 557, 558

Xanthoxylon 329

YOUNG, PAULINE, Starch formation in the leucoplasts of Phaseolus vulgaris 1
Youngia 123
Yucca 518, 526; Howard-Smithii 593; rupicola 594

Zamia 516; floridana 520; furfuracea 520; integrifolia 516, 518, 520, 525
Zea mays 11, 124, 131, 259, 260, 443, 500, 522, 524, 525
Zephyranthes 79, 84–86; albicans 83, 84, 86; Drummondii 79, 84, 86; macrosiphon 86
Zinowiewia 463; **australis** 469, 470; **concinna** 470, 471; **costaricensis** 471, 472; integerrima 471, 475; **Matudai** 472, 476; **pallida** 473–475; **rubra** 473, 475, 476
Zinowiewia, Studies in the American Celastraceae 1. New species of Microtropis, Wimmeria and 463
Zizania 11, 14, 17; aquatica 13–20, 339
Zizania aquatica in the seed and in artificial culture, The development of the embryo of 11
Zschokkea panamensis 136, 146, 158, 166; ramosissima 136, 146, 158
Zygadenus fontanus 127
Zygocactus truncatus 526